


STACK-N-WHACK®
BARCELONETA



49" x 49" Quilt

Pattern by Bethany Reynolds

featuring **Stack-n-Whack® Barcelona** fabrics by Bethany Reynolds
for the Riverwoods by Troy Collection



Riverwoods Collection

Stack-n-Whack® Barceloneta Quilt

Pattern by Bethany Reynolds

featuring **Stack-n-Whack® Barcelona** fabrics by Bethany Reynolds for the Riverwoods by Troy Collection

Yardage Requirements

	Yardage	Ocean Colorway	Sunny Colorway	Moonlight Colorway
Fabric A (Large Squares)	¾ yard	Ocean Trencadis TRO-1580/2	Sunny Trencadis TRO-1580/1	Moonlight Trencadis TRO-1580/3
Fabric B (Narrow Sashing)	7/8 yard	Ocean Stripe TRO-1581/2	Sunny Stripe TRO-1581/1	Moonlight Stripe TRO-1581/3
Fabric C (Cornerstones)	3/8 yard	Mediterranean Mosaic TRO-1584/4	Azure Mosaic TRO-1584/1	Grape Mosaic TRO-1584/6
Fabric D (sashing squares, border and binding)	1¾ yards	Azure Mosaic TRO-1584/1	Azure Mosaic TRO-1584/1	Grape Mosaic TRO-1584/6
Fabric E (Wide Sashing)	15/8 yards	Seafoam Lace TRO-1582/2	Bisque Mosaic TRO-1584/2	Pine Spanish Lace TRO-1582/3
Fabric F (sashing triangles)	¾ yard	Surf Mosaic TRO-1584/3	Tangerine Spanish Lace TRO-1582/1	Azure Mosaic TRO-1584/1
Backing	3¼ yards (or pieced 58" square)	Surf Mosaic TRO-1584/3	Bisque Mosaic TRO-1584/2	Pine Spanish Lace TRO-1582/3


Cutting

From Fabric A:

- Cut one 8½" strip across the width. Cut four 8½" squares.
- Cut one 12⅝" strip across the width. From this, cut a 12⅝" square. Cut this square twice on the diagonal to make four side triangles.
- From the remaining strip width, cut one more 8½" square and two 6⅝" squares. Cut the 6⅝" squares once on the diagonal to make four corner triangles.

From Fabric B:

- Cut 11 2½" x 27" lengthwise strips, centering each on the wide stripe as shown here by the black lines. From these, cut 32 2½" x 8½" rectangles for sashing.



From Fabric C:

- Cut two 2½" strips across the width. From these, cut 24 2½" squares for framed square block cornerstones.

- Cut one 27/8" strip across the width. From these, cut eight 27/8" squares. Cut each once on the diagonal to make 16 triangles for half-cornerstones.

From Fabric D:

- Cut six 4½" strips across the width. From these, cut 44 4½" squares for sashing.
- Cut five 2" strips for border.
- Cut five 2½" strips for binding.

From Fabric E:

- Cut two 4½" strips across the width. From these, cut 16 4½" squares for sashing.
- Cut four 2½" strips across the width. From these, cut 64 2½" squares for pieced sashing units.


From Fabric F:

- Cut seven 2½" strips across the width. From these, cut 104 2½" squares for pieced sashing units.


Piecing

Make 32 units as follows:



Place a 2½" square of Fabric E in one corner of a 4½" Fabric D square, right sides together. Place a Fabric F square on the opposite corner. Sew from corner to corner on each square, as shown.




Trim the outside corners of the squares to about ¼". Press the remaining triangles over as shown.



Place Fabric E and Fabric F squares on the two remaining corners. Sew as above.




Trim and press to complete the units.




Make 4 units in the same manner, using four 2½" squares of Fabric F for each.


Make four units, adding squares of Fabric F on just three sides. Place the ¼" line of a ruler across the unit from corner to corner and trim as shown, to create triangle units for the sides. Discard the lower portion.




Use the 32 Fabric D/E/F units with the 4½" squares of Fabric E to make 16 rectangular sashing units.




Make five framed square units using 8½" Fabric A squares, 2½" Fabric C squares, and 2½" x 8½" Fabric B rectangles.




Make four side triangle units using the larger triangles of Fabric A.



Make four corner units using the smaller triangles of Fabric A.



Lay out all units as shown in the assembly diagram. Piece the units together in rows, then piece the diagonal rows together.



Piece together the five 2" strips of Fabric D. Measure the quilt top down the center and cut two strips this length. Sew these to the sides of the quilt. Measure the top across the width and cut the two remaining strips to this length. Sew these to the top and bottom of the quilt.

Prepare the backing by piecing a 58" square. Layer the backing, batting, and quilt top. Quilt the layers. Piece binding fabric strips together to make one long strip. Press in half lengthwise, and bind the quilt.

©2013 Bethany S. Reynolds for

Troy Corporation

2701 N Normandy Ave – Chicago, IL 60707

1-800-888-2400 1-773-804-9600 Fax: 1-773-804-0906

www.Troy-Corp.com • www.RiverwoodsByTroy.com